

Reference : **G515-0000**

Product : **CELLULOSCRUB 300 L**

<i>Analysis</i>	<i>Methods</i>	<i>Specifications</i>
<b>Durability</b> Shelf-life	MO_LAB_PROD_09	120 months
<b>Organoleptics properties</b> Appearance Color Odor	LESS28 LESS29 LESS30	Powder with some fibrous particles Off-white Characteristic
<b>Physicochemicals properties</b> Untapped density [g/l] Loss on drying [%]	LESS01 LESS08	520 to 680 g/l <= 10,0 %
<b>Particle size dispersion</b> <= 100 µm [%] <= 300 µm [%]	LESS02 LESS02	<= 15,0 % >= 90,0 %
<b>Microbiology</b> Total aerobic plate count [CFU/g] Yeast and moulds [CFU/g]	LESS35A LESS35B	<= 100 CFU/g <= 10 CFU/g

Specifications **version 1** issued on 2022-04-29\*

\* All dates are ISO 8601 compliant

This certificate is electronically generated and requires no signature.

Reference : **G514-0000**

Product : **CELLULOSCRUB 500 L**

<i>Analysis</i>	<i>Methods</i>	<i>Specifications</i>
<b>Durability</b> Shelf-life	MO_LAB_PROD_09	120 months
<b>Organoleptics properties</b> Appearance Color Odor	LESS28 LESS29 LESS30	Powder with some fibrous particles Off-white Characteristic
<b>Physicochemicals properties</b> Untapped density [g/l] Loss on drying [%]	LESS01 LESS08	490 to 650 g/l <= 10,0 %
<b>Particle size dispersion</b> <= 200 µm [%] <= 60 mesh (250µm) [%] <= 500 µm [%]	LESS02 LESS02 LESS02	<= 5,0 % <= 20,0 % >= 90,0 %
<b>Microbiology</b> Total aerobic plate count [CFU/g] Yeast and moulds [CFU/g]	LESS35A LESS35B	<= 100 CFU/g <= 10 CFU/g

Specifications **version 1** issued on 2022-04-29\*

\* All dates are ISO 8601 compliant

This certificate is electronically generated and requires no signature.

Reference : **G516-0000**

Product : **CELLULOSCRUB 1000 L**

<i>Analysis</i>	<i>Methods</i>	<i>Specifications</i>
<b>Durability</b> Shelf-life	MO_LAB_PROD_09	120 months
<b>Organoleptics properties</b> Appearance Color Odor	LESS28 LESS29 LESS30	Powder with some fibrous particles Off-white Characteristic
<b>Physicochemicals properties</b> Untapped density [g/l] Loss on drying [%]	LESS01 LESS08	450 to 610 g/l <= 10,0 %
<b>Particle size dispersion</b> <= 355 µm [%] <= 500 µm [%] <= 1 mm [%]	LESS02 LESS02 LESS02	<= 12,0 % <= 30,0 % >= 90,0 %
<b>Microbiology</b> Total aerobic plate count [CFU/g] Yeast and moulds [CFU/g]	LESS35A LESS35B	<= 100 CFU/g <= 10 CFU/g

Specifications **version 1** issued on 2022-05-04\*

\* All dates are ISO 8601 compliant

This certificate is electronically generated and requires no signature.