

Reference : **G410-0000**

Product : **VOLCANIC SAND EXFOLIATOR 300**

<i>Analysis</i>	<i>Methods</i>	<i>Specifications</i>
<b>Durability</b> Shelf-life	MO_LAB_PROD_09	120 Months
<b>Organoleptics properties</b> Appearance Color Odor	LESS28 LESS29 LESS30	Powder Grey / Black Odorless
<b>Physicochemicals properties</b> Untapped density [g/l] Loss on drying [%]	LESS01 LESS08	1 400 to 1 600 g/l <= 5 %
<b>Particle size dispersion</b> <= 100 µm [%] <= 300 µm [%]	LESS02 LESS02	<= 10 % >= 98 %
<b>Microbiology</b> Total aerobic plate count [CFU/g] Yeast and moulds [CFU/g]	LESS35A LESS35B	<= 100 CFU/g <= 10 CFU/g

Specifications **version 6** issued on 2019-10-02\*

\* All dates are ISO 8601 compliant

This certificate is electronically generated and requires no signature.

Reference : **G415-0000**

Product : **VOLCANIC SAND EXFOLIATOR 500**

Shelf-life : **120 months**

<i>Analysis</i>	<i>Methods</i>	<i>Specifications</i>
<b>Organoleptics properties</b> Appearance Color Odor	LESS28 LESS29 LESS30	Powder Grey / Black Odorless
<b>Physicochemicals properties</b> Untapped density [g/l] Loss on drying [%]	LESS01 LESS08	1 350 to 1 550 g/l <= 5,0 %
<b>Particle size dispersion</b> <= 200 µm [%] <= 500 µm [%]	LESS02 LESS02	<= 10,0 % >= 98,0 %
<b>Microbiology</b> Total aerobic plate count [CFU/g] Yeast and moulds [CFU/g] Pathogen germs (P. aeruginosa, E. coli, S. aureus, C. albicans) [/1g]	LESS35A LESS35B LESS35C	<= 100 CFU/g <= 10 CFU/g Absent /1g

Specifications **version 4** issued on 2023-09-26\*

\* All dates are ISO 8601 compliant

This certificate is electronically generated and requires no signature.

Reference : **N136-0000**

Product : **VOLCANIC SAND GREENEXFOLIATOR 300**

<i>Analysis</i>	<i>Methods</i>	<i>Specifications</i>
<b>Durability</b> Shelf-life	MO_LAB_PROD_09	120 months
<b>Organoleptics properties</b> Appearance Color Odor	LESS28 LESS29 LESS30	Powder Grey / Black Odorless
<b>Physicochemicals properties</b> Untapped density [g/l] Loss on drying [%]	LESS01 LESS08	1 400 to 1 600 g/l <= 5,0 %
<b>Particle size dispersion</b> <= 100 µm [%] <= 300 µm [%]	LESS02 LESS02	<= 10,0 % >= 98,0 %
<b>Microbiology</b> Total aerobic plate count [CFU/g] Yeast and moulds [CFU/g]	LESS35A LESS35B	<= 100 CFU/g <= 50 CFU/g

Specifications **version 4** issued on 2022-07-04\*

\* All dates are ISO 8601 compliant

This certificate is electronically generated and requires no signature.